

# Easy



Colour included  
in the price



Easy 1600 x 200  
colour: heban


KTX 4 heating element, silver




Colour included in the price

design: Jacek Ryń

## Connections:



## Electric radiators:



## We recommend:


KTX 4 heating element




ZIP V hanger



EASY shelf



## Available sizes:




## Specifications:

Working pressure: 0,8 MPa    Maximum operating temperature: 95°C

A ↓	B ↔	C2 [mm]	75-65/20°C [W]	55-45/20°C [W]	[W]	D [mm]	E [mm]	F [mm]	[dm³]	[kg]	Product Code <a href="#">Configuration codes: 4</a>
640	200	160	124	68	120	160	320	160	1,76	2,92	WGEAS064020
960	200	160	187	102	200	160	640	160	2,64	4,26	WGEAS096020
1280	200	160	251	136	300	160	960	160	3,52	5,60	WGEAS128020
1600	200	160	314	170	300	160	1280	160	4,40	6,94	WGEAS160020
1920	200	160	378	204	400	160	1600	160	5,27	8,28	WGEAS192020




Colour included  
in the price



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres  
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

**Profile:**





Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The construction of a water and dual fuel radiator product and configuration code:

WGALE054030

K916SX

PRODUCT CODE  
(located in the table for the product)

CONFIGURATION CODE  
(supplemented by hand)

Configuration

K 916 SX

Package code    Colour code    Connection code  
*K – carton box*

Construction of electric heater configuration code

WLALE054030

K916E1DRYM

PRODUCT CODE  
(located in the table for the product)

CONFIGURATION CODE  
(supplemented by hand)

Configuration

K 916 E1 DRY M

Package code    Colour code    Connection code    Heating element code    Type of heating element cable code  
*K – carton box*

Zinc powder primer

**C** – Code of zinc powder primer is an extra processes

WLALE054030 K916SX **C** – Extra processes or additions code



Colour included  
in the price

## Legend



Available in chrome finish.



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.  
The icon shows the flow and return connections for the radiator as well as the thermostat valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.