



◀ **Radiator**

Case Slim 1810 ↑ x 520 ↔ ZX,
colour: RAL 6004,
radiator code: WGCSX181052 K604ZX
radiator case code: WRBCSS181052 K604

Valves and accessories


Integrated thermostatic valve, angled, right, Chrome
SLIM thermostatic head, Chrome
Integrated pipe-masking set, Chrome
Case Slim towel rail, Chrome

251 COLORS



CASE SLIM





AVAILABLE SIZES



585 x 900
 ↓ ↔



585 x 1100




585 x 1300

Case Slim radiators with height A ↓ 585: are available only in the water version.



1360 x 420
 ↓ ↔




1360 x 520




1360 x 620



1585 x 420



1585 x 520



1585 x 620



1810 x 420
 ↓ ↔



1810 x 520



1810 x 620

RELING CASE SLIM

The first hanger is available at a bonus price of 1 EUR! The offer is valid only if you specify the hanger code in your radiator order.



NOTE: THE COMPLETE PRODUCT CONSISTS OF TWO PARTS: THE RADIATOR HEAT EXCHANGER AND THE OUTER CASING.

1. RADIATOR HEAT EXCHANGER

CENTRAL HEATING / DUAL FUEL

Connections (A ↓ 585÷1810):




(A ↓ 585):



(A ↓ 1360÷1810):





Height A ⇅ [mm]	Width B ↔ [mm]	Heating power – powder paint			Product code ... Configuration p. 10
		75/65/20°C [W]	55/45/20°C [W]	 [W]	
585	900	438	229	–	WGCSX058090...
585	1100	536	281	–	WGCSX058110...
585	1300	634	332	–	WGCSX058130...
1360	420	422	219	400	WGCSX136042...
1360	520	523	271	600	WGCSX136052...
1360	620	624	324	600	WGCSX136062...
1585	420	470	243	400	WGCSX158042...
1585	520	580	300	600	WGCSX158052...
1585	620	693	358	800	WGCSX158062...
1810	420	516	266	600	WGCSX181042...
1810	520	639	330	600	WGCSX181052...
1810	620	762	393	800	WGCSX181062...

DIMENSIONS AND TECHNICAL INFORMATION

Working pressure: 800 kPa

Maximum operating temperature: 95°C

Height A ⇅ [mm]	Width B ↔ [mm]	Spacing connection C1 [mm]	Spacing connection C2 [mm]	Spacing horizontal fasteners D [mm]	Spacing vertical fasteners E [mm]	Bottom fasteners position F [mm]	Capacity  [dm³]	Weight  [kg]
585	900	50	800	650	30	415	3,93	16,55
585	1100	50	1000	850	30	415	4,69	19,98
585	1300	50	1200	1050	30	415	5,44	23,41
1360	420	50	320	170	30	1190	5,26	20,39
1360	520	50	420	270	30	1190	6,23	25,04
1360	620	50	520	370	30	1190	7,19	29,70
1585	420	50	320	170	30	1415	6,18	23,75
1585	520	50	420	270	30	1415	7,31	29,21
1585	620	50	520	370	30	1415	8,45	34,68
1810	420	50	320	170	30	1640	7,09	27,10
1810	520	50	420	270	30	1640	8,40	33,38
1810	620	50	520	370	30	1640	9,70	39,66



ELECTRIC RADIATOR

Connections (A ↕ 1360÷1810):







Height A ↕ [mm]	Width B ↔ [mm]	Moc [W]	Product code ... Kod konfigur. info.s.11
1360	420	400	WLCSX136042...
1360	520	600	WLCSX136052...
1360	620	600	WLCSX136062...
1585	420	400	WLCSX158042...
1585	520	600	WLCSX158052...
1585	620	800	WLCSX158062...
1810	420	600	WLCSX181042...
1810	520	600	WLCSX181052...
1810	620	800	WLCSX181062...

DIMENSIONS AND TECHNICAL INFORMATION

Height A ↕ [mm]	Width B ↔ [mm]	Spacing horizontal fasteners D [mm]	Spacing vertical fasteners E [mm]	Bottom fasteners position F [mm]	Capacity  [dm³]	Weight  [kg]
1360	420	170	30	1190	5,26	24,65
1360	520	270	30	1190	6,23	30,09
1360	620	370	30	1190	7,19	35,52
1585	420	170	30	1415	6,18	28,76
1585	520	270	30	1415	7,31	35,13
1585	620	370	30	1415	8,45	41,52
1810	420	170	30	1640	7,09	32,84
1810	520	270	30	1640	8,40	40,18
1810	620	370	30	1640	9,70	47,52

2. RADIATOR CASE

A ↓ [mm]	B ↔ [mm]	Metal case		Glass case (szkło polerowane)		Mirror case		Graphic case	
		 [kg]	Product code <i>Kod konfiguracji s. 13</i>	 [kg]	Product code <i>Kod konfiguracji s. 12</i>	 [kg]	Product code <i>Kod konfiguracji s. 13</i>	 [kg]	Product code <i>Kod konfiguracji s. 12</i>
585	900	8,80	WRBCSS058090	14,22	WRBCSG058090	14,22	WRBCSM058090	14,22	WRBCSP058090
585	1100	10,54	WRBCSS058110	17,17	WRBCSG058110	17,17	WRBCSM058110	17,17	WRBCSP058110
585	1300	12,29	WRBCSS058130	20,14	WRBCSG058130	20,14	WRBCSM058130	20,14	WRBCSP058130
1360	420	10,31	WRBCSS136042	16,16	WRBCSG136042	16,16	WRBCSM136042	16,16	WRBCSP136042
1360	520	12,33	WRBCSS136052	19,59	WRBCSG136052	19,59	WRBCSM136052	19,59	WRBCSP136052
1360	620	14,34	WRBCSS136062	23,01	WRBCSG136062	23,01	WRBCSM136062	23,01	WRBCSP136062
1585	420	11,86	WRBCSS158042	18,68	WRBCSG158042	18,68	WRBCSM158042	18,68	WRBCSP158042
1585	520	14,15	WRBCSS158052	22,61	WRBCSG158052	22,61	WRBCSM158052	22,61	WRBCSP158052
1585	620	16,45	WRBCSS158062	26,56	WRBCSG158062	26,56	WRBCSM158062	26,56	WRBCSP158062
1810	420	13,41	WRBCSS181042	21,19	WRBCSG181042	21,19	WRBCSM181042	21,19	WRBCSP181042
1810	520	15,99	WRBCSS181052	25,65	WRBCSG181052	25,65	WRBCSM181052	25,65	WRBCSP181052
1810	620	18,58	WRBCSS181062	30,13	WRBCSG181062	30,13	WRBCSM181062	30,13	WRBCSP181062

Height 585 mm available only for central heating radiators.



GLASS



MIRROR



GRAPHIC


The outer shell of the Case Slim is available in 249 different colours (including RAL, special finishes). The glass finish is available in RAL colours (excluding metallic and fluorescent colours – more details on Terma website) as well as manufacturers image selection or your own graphics.

All glass and mirror radiators can be used as a blackboard when using a special marker that comes with the radiator. If using your own marker, please make sure that it is washable and suitable to use on glass.

SUGGESTED IMAGE SELECTION*:




34




38



52



72



78



93



86



109

* Selection available for glass finish. Current selection available on manufacturer's website. If you want to design your own Case Slim, please contact your supplier.




Vertical radiator graphics





Horizontal radiator graphics

TECHNICAL DRAWING


ZX




Z1




Z8




SX



YL




YP




A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector:




Pipe:





TECHNICAL DRAWING

E1





E8



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector:


Pipe:



CONFIGURATION CODE FOR A TOWEL RAIL OR RADIATOR ("WG" PRODUCT GROUP)

Product codes can be found in the product tables in both the catalogue and the price list. They provide basic information about the product and the configuration code contains information that complements the specification. When placing an order, the product codes should contain the fully completed configuration part. Part of the configuration code should be placed after the main product code as shown in the example below:

CODE DETAILS:




WG – water or dual fuel, central heating towel rail or radiator

A CONFIGURATION CODE FOR AN ELECTRIC TOWEL RAIL OR RADIATOR FILLED WITH OIL AND FITTED WITH A HEATING ELEMENT (PRODUCT GROUP "WL")

Product codes can be found in the product tables in both the catalogue and the price list. They provide basic information about the product, and the configuration code contains information that complements the specification. When placing an order, the product codes should contain the fully completed configuration part. Part of the configuration code should be placed after the main product code as shown in the example below:

CODE DETAILS:




WL – electric towel rail or radiator filled with Oil and fitted with a factory installed heating element

CONFIGURATION CODE FOR CASE SLIM GLASS OR GRAPHIC MASKING FRONT (PRODUCT GROUP "WR")

Product codes can be found in the product tables in both the catalogue and the price list. They provide basic information about the product, and the configuration code contains information that complements the specification. When placing an order, the product codes should contain the fully completed configuration part. Part of the configuration code should be placed after the main product code as shown in the example below:

CODE DETAILS:



[Graphics colors chart](#)




WRB – CASE SLIM glass or mirror masking front

CONFIGURATION CODE FOR ACCESSORIES AND MASKING FRONT FOR MICHELLE, IRON, CASE SLIM RADIATORS WITH METAL AND MIRROR CASE (PRODUCT GROUP "WR")

Product codes can be found in the product tables in both the catalogue and the price list. They provide basic information about the product, and the configuration code contains information that complements the specification. When placing an order, the product codes should contain the fully completed configuration part. Part of the configuration code should be placed after the main product code as shown in the example below:

CODE DETAILS:



WR – configurable accessory