

PAX[®]

A towel warmer
for every room





A towel warmer adds a touch of elegance to your everyday life

Sit back and be inspired by our extensive range of towel warmers.

A towel warmer is more than just a practical detail, it helps you add a touch of elegance to your everyday life, and is perfect for your bathroom, kitchen or even your hallway.

As of 1 July 2025, new ecodesign requirements for electrically heated towel warmers come into effect under EU Regulation (EU) 2024/1103.

The entire Pax range meets these requirements – a safe and future-proof choice.



With our unique timer **Momento II**, you can control your towel warmer both manually or via the app Pax Connect.

While you carry on browsing and thinking about how to update your home, we continue to work on innovative models and smart solutions to simplify and add luxury to your everyday life.




8 Electric towel warmers



Pax electric towel warmers are heated with an energy-efficient double-insulated heating cable. Many of our models are available with our unique timer Momento II. With Pax Momento II, your towel warmer is only running when you need it to be, so you can easily lower your electricity bill without compromising on your everyday luxury. All electric warmers are S marked and IP44/IPX4 rated.

10 Flex I Momento II timer



12 Flex U Momento II timer



14 Jazz Momento II timer



16 Blues Momento II timer




18 Limbo Momento II timer



19 Practic Momento II timer




20 TR-iConnect Momento II timer




21 TR Lite Momento II Lite timer




22 Salsa Duo Timer



23 Samba Duo Timer



24 Tango Duo Timer



25 Foxtrot Duo Timer



Symbol guide

- Combi warmer
- Electric towel warmer
- Timer function
- Pivoting 180°

Note For all warmers: Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer. Pax accepts no liability for holes that have been drilled without following the installation instructions.

26 Combi warmers electric element and/or radiator system



Pax combi warmers are filled with water during installation and are either heated with a Pax electric cartridge with the unique Momento II timer and/or by connecting it to your existing closed heating system via a radiator valve. If you install both an electric element and a radiator valve, you can use your towel warmer even when the heating system is turned off. That way you can avoid condensation and dampness even during warm summers.

28 Viola




29 Mandolin



30 Lyra



31 Tamburin




32 Cello



33 Positiv



34 Nice



35 Climb



6 Momento II

Unique app-controlled timer.

36 Electric elements and Radiator valves

37 FAQ - Dry facts


Answers to the most frequently asked questions about technology and installation.



Note For all warmers: Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer. Pax accepts no liability for holes that have been drilled without following the installation instructions.

This is what you get with Momento II


- Saves both energy and money without sacrificing comfort and function
- Available for both electrical and combined towel warmers
- Pair with Pax Norte bathroom fan for unique opportunities
- Weekly programs with time intervals via the app
- Power control
- Manufactured in Sweden



If you have a Pax fan with Bluetooth in the same bathroom as your towel warmer, they can be paired. The towel warmer will then start automatically when the fan's humidity sensor detects an increased level, for example when you start showering.



The Pax Connect app is available for download from the App Store or Google Play. Visit paxsweden.com for more information about Momento II.



Momento II

– smart control – manually or via the Pax Connect app

With Pax Momento II, your towel warmer is only running when you need it to be, so you can easily lower your electricity bill without compromising on everyday luxury.

Momento II comes with dozens of smart features that allow you to save energy, improve your indoor climate and simplify your everyday life.

Start a one-time or daily repeating timer manually on the towel warmer, or use the Pax Connect app to create custom schedules and adjust the power control.

If you have a Pax fan with Bluetooth® in the same bathroom as your towel warmer, they can be paired. The towel warmer will then start automatically when the fan's humidity sensor detects elevated levels – for example, when you start showering.



The light is off
The timer is turned off
The towel warmer is cold



The red light is on
A 6-hour single-use or daily repeating timer is active.
The towel warmer is heating



The green light is on
An active daily repeating timer is in standby mode (18 hours).
The towel warmer is cold



The blue light is on
when pairing with a mobile phone via Bluetooth®.

Momento II Lite

– simple manual timer – with immediate start or daily repetition

With just a simple press of a button, the timer is activated – and the towel warmer takes care of the rest. For six hours, it warm and dry your towels efficiently and comfortably, completely automatically.

Want warm, dry towels at the same time every day?

Just press and hold the button for three seconds – and the timer will start automatically at the same time, day after day. It couldn't be easier!



The light is off
The timer is turned off
The towel warmer is cold



The red light is on
A 6-hour single-use or daily repeating timer is active.
The towel warmer is heating



The green light is on
An active daily repeating timer is in standby mode (18 hours).
The towel warmer is cold

WallFix

– Easy electrical connection

Pax towel warmers with Momento II and Momento II Lite are equipped with WallFix – a smart separate coupling housing with plenty of space to make wiring and installing your towel warmer quick, smooth and straightforward.

The assembly is easy in three steps:

1. Screw the coupling housing onto the wall.
2. Make the electrical connection – convenient and clear.
3. Dock the towel warmer and mount the other wall brackets.

Fast, safe, and hassle-free – just the way it should be!





Electric towel warmers

Pax electric towel warmers are heated with an energy-efficient double-insulated heating cable. Many of our models are available as standard with Momento II, a timer with a unique memory function which allows you to save up to 75 percent on energy consumption without compromising on comfort. Read more about Momento II on pages 6–7. All Pax electric warmers are S marked, CE marked, and meets the Eco-design requirements (EU) 2024/1103.




Flex I

– pivoting arms
in a small area

with Momento II timer

Flex I has individually pivoting arms that you can move as you wish, either to maximise your drying capability or to make Flex I as compact as possible. The tubes are straight, which makes it easy to hang up and take down your towels.

You can order your Flex I in several configurations. Choose anything from two to six individually pivoting arms to 180°, meaning you can have it set both on the right and left.



Electric towel warmer
Heat type
Power
Width
Height

Electric heating cable.
20-60W
560 mm

Flex I 2 arms
Flex I 3 arms
Flex I 4 arms
Flex I 5 arms
Flex I 6 arms

330 mm
420 mm
510 mm
600 mm
685 mm

Finish
Material
Mains
connection

Polished or lacquered.
Stainless steel

Bottom. Hidden, fixed connection.
Right or left configured.

Features

Individually pivoting arms to 180°.

Variants
With Momento II timer.

Accessories
8340-5

Cable and plug for connection to mains socket.



Download on the
App Store

GET IT ON
Google Play

Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.

Item. no.	Model	Material	Output	Width, mm	Height, mm
26-2030	Flex I 2/550, pivoting, Momento II	Stainless steel	20W	560	330
26-2035	Flex I 2/550, pivoting, Momento II, black	Stainless steel, lacquered	20W	560	330
26-2031	Flex I 3/550, pivoting Momento II	Stainless steel	30W	560	420
26-2036	Flex I 3/550, pivoting, Momento II, black	Stainless steel, lacquered	30W	560	420
26-2032	Flex I 4/550, pivoting, Momento II	Stainless steel	40W	560	510
26-2037	Flex I 4/550, pivoting, Momento II, black	Stainless steel, lacquered	40W	560	510
26-2033	Flex I 5/550, pivoting, Momento II	Stainless steel	50W	560	600
26-2038	Flex I 5/550, pivoting, Momento II, black	Stainless steel, lacquered	50W	560	600
26-2034	Flex I 6/550, pivoting, Momento II	Stainless steel	60W	560	685
26-2039	Flex I 6/550, pivoting, Momento II, black	Stainless steel, lacquered	60W	560	685

230 V AC 50 Hz, Class II (double-insulated, earthing not required). IP44  

10

11


Flex U

– easy to reconfigure

with Momento II timer

Flex U has excellent drying capabilities. The individually pivoting U-shaped arms allow towels to hang freely in the air when needed.

With Flex U, there are plenty of possibilities. Choose from two widths: 455 or 655 mm, and the number of arms: between two and five. Each U-shaped arm is individually pivoting to 180°, which means that you can mount the towel warmer to both the right and the left.




Electric towel warmer
Heat type Electric heating cable.
Power 28–106 W
Width 455 or 655 mm
Height Flex U 2 arm 560 mm
Flex U 3 arm 760 mm
Flex U 4 arm 960 mm
Flex U 5 arm 1160 mm

Finish Polished or lacquered
Material Stainless steel
Mains connection Bottom. Hidden, fixed connection.
Right or left configured.
Features Individually pivoting arms to 180°.

Variants
With Momento II timer.

Accessories
8340-5 Cable and plug for connection to mains socket.





Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.



Item. no.	Model	Material	Output	Width, mm	Height, mm
26-1007	Flex U 2/450, pivoting, Momento II	Stainless steel	28 W	455	560
26-1032	Flex U 2/450, pivoting, Momento II, black	Stainless steel, lacquered	28 W	455	560
26-1008	Flex U 3/450, pivoting, Momento II	Stainless steel	41 W	455	760
26-1033	Flex U 3/450, pivoting, Momento II, black	Stainless steel, lacquered	41 W	455	760
26-1009	Flex U 4/450, pivoting, Momento II	Stainless steel	55 W	455	960
26-1013	Flex U 5/450, pivoting, Momento II	Stainless steel	69 W	455	1160
26-1019	Flex U 2/650, pivoting, Momento II	Stainless steel	43 W	655	560
26-1039	Flex U 2/650, pivoting, Momento II, black	Stainless steel, lacquered	43 W	655	560
26-1021	Flex U 3/650, pivoting, Momento II	Stainless steel	64 W	655	760
26-1041	Flex U 3/650, pivoting, Momento II, black	Stainless steel, lacquered	64 W	655	760
26-1022	Flex U 4/650, pivoting, Momento II	Stainless steel	85 W	655	960
26-1023	Flex U 5/650, pivoting, Momento II	Stainless steel	106 W	655	1160

230 V AC 50 Hz, Class II (double-insulated, earthing not required). IP44  

Jazz

– stylish shape
with round straight
tubes

with Memento II timer

Pax Jazz is a flexible electric towel warmer available in three different heights and two widths. Jazz is delivered complete with the smart WallFix bracket for concealed electrical connection and optional placement in the lower right or left corner.

Electric towel warmer

Heat type

Power

Width

Height

Finish

Material

Mains connection

Electric heating cable.

40–110 W

550 or 700 mm

Jazz/4
Jazz/6
Jazz/8

Polished

Stainless steel

Hidden, fixed connection.
Bottom right or left.

Accessories

8340-5


Cable and plug for connection to mains socket.



Download on the App Store

GET IT ON Google Play

Stated dimensions may vary.
Never drill holes in the wall
without first checking the
dimensions of your actual
towel warmer.



230 V AC 50 Hz, Class II (double-insulated, earthing not required). IP44  

Item. no.	Model	Material	Output	Width, mm	Height, mm
3525-7	Jazz 4/550, Memento II	Stainless steel	40W	550	710
3525-2	Jazz 6/550, Memento II	Stainless steel	65W	550	1030
3525-3	Jazz 8/550, Memento II	Stainless steel	85W	550	1350
3526-7	Jazz 4/700, Memento II	Stainless steel	55W	700	710
3526-2	Jazz 6/700, Memento II	Stainless steel	85W	700	1030
3526-3	Jazz 8/700, Memento II	Stainless steel	110W	700	1350

Blues

– soft lines with round, curved tubes

with Momento II timer

Blues creates a soft look with its round curved tubes. Choose from two widths and three different heights. Blues is delivered complete with mains connection and Momento II located on the bottom right.

Electric towel warmer

Heat type

Power

Width

Height

Finish

Material

Mains connection

Electric heating cable.

40–110 W

550 or 700 mm

Blues/4710 mm

Blues/61030 mm

Blues/81350 mm

Polished

Stainless steel

Hidden, fixed connection. Bottom right.

Accessories

8340-5

Cable and plug for connection to mains socket.




Download on the App Store

GET IT ON Google Play



Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.



230 V AC 50 Hz, Class II (double-insulated, earthing not required). IP44  

Item no.	Model	Material	Output	Width, mm	Height, mm
3525-8	Blues 4/550, Momento II	Stainless steel	40 W	550	710
3525-5	Blues 6/550, Momento II	Stainless steel	65 W	550	1030
3525-6	Blues 8/550, Momento II	Stainless steel	85 W	550	1350
3526-8	Blues 4/700, Momento II	Stainless steel	55 W	700	710
3526-5	Blues 6/700, Momento II	Stainless steel	85 W	700	1030
3526-6	Blues 8/700, Momento II	Stainless steel	110 W	700	1350

Limbo

- lightweight and compact

with Momento II timer

Limbo is an electric towel warmer with a slim, discreet design. The warmer measures just 5×140 cm, which makes it easily positionable.


Electric towel warmer
Heat type Electric heating cable.
Power 24 W
Width 50 mm
Height 1400 mm

Finish Polished or lacquered
Material Stainless steel
Mains connection Bottom. Hidden, fixed connection.

Variants
With Momento II timer.

Accessories
8340-5 Cable and plug for connection to mains socket.





Item. no.	Model	Material	Output	Width, mm	Height, mm
3551-11	Limbo, Momento II	Stainless steel	24W	50	1400
3551-12	Limbo, white, Momento II	Stainless steel, lacquered	24W	50	1400
3551-13	Limbo, black, Momento II	Stainless steel, lacquered	24W	50	1400

230 V AC 50 Hz, Class II (double-insulated, earthing not required). IP44  

Practic

– fixed or pivoting, practical and flexible

with Momento II timer

Practic is a great-value towel warmer with a practical construction. Thanks to its generous curves, towels hang freely, reducing drying time.


Practic is supplied with an extra wall bracket so you can decide for yourself whether you want to be able to pivot it out into the room (mounted in pivoting configuration), or whether you want to mount it in a fixed position on the wall using the extra bracket.

Electric towel warmer
Heat type Electric heating cable.
Power 60 W
Width 573 mm
Height 750 mm
Finish Chrome
Material Steel
Mains connection Hidden, fixed connection.
Features Fixed or foldable to 180°, extra wall bracket included for fixed installation onto wall.

Variants
With Momento II timer.

Accessories
8340-5 Cable and plug for connection to mains socket.





Item. no.	Model	Material	Output	Width, mm	Height, mm
26-3201	Practic, fixed/pivoting, Momento II	Chromed steel	60W	573	750

230 V AC 50 Hz, Class II (double-insulated, earthing not required). IP44  



TR-i Connect

– fixed or pivoting, you decide

with Memento II timer

Pax TR-i Connect is an electric towel warmer with many options. Choose between being able to pivot it or to have it in a fixed position. These towel warmers are reversible and can be installed with the mains connection at any corner, which makes TR-i Connect easy to position in all environments.

Electric towel warmer

Heat type Electric heating cable

Power 40W

Width 460 or 495mm

Height 740mm

Finish Polished

Material Stainless steel

Mains connection Hidden, fixed connection.

Any corner.

Features Fixed or pivoting through 180°

Variants


With Memento II timer.

Accessories


8340-5 Cable and plug for connection to mains socket.

Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.


TR55 Connect



TR65 Connect



Item. no.	Model	Material	Output	Width, mm	Height, mm
3517-1	TR55 Memento II Connect	Stainless steel	40W	460	740
3517-3	TR65 Memento II Connect	Stainless steel	40W	495	740



TR Lite

– a classic, now smarter than ever

with Memento II Lite manuel timer

TR Lite features bent tubes in polished stainless steel – a proven design that makes it easy to hang towels while giving the bathroom a sleek and stylish feel. A popular choice that fits perfectly in both new builds and renovation projects. A simple button press activate the timer – then the towel warmer takes care of the rest. Thanks to unique, adjustable wall brackets, mounting is both simple and flexible. The towel warmers are reversible and can be installed with the electrical connection in any corner.

Electric towel warmer

Heat type Electric heating cable

Power 38 or 42W

Width 460 or 495mm

Height 740 mm

Finish Polished

Material Stainless steel

Mains connection Hidden, fixed connection.

Any corner.

Variants


With Memento Lite manuel timer function.

Accessories


8340-5 Cable and plug for connection to mains socket

Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.



TR55 Lite



TR65 Lite



Item. no.	Model	Material	Output	Width, mm	Height, mm
3515-1	TR55 Memento II Lite	Stainless steel	38W	454	644
3515-3	TR65 Memento II Lite	Stainless steel	42W	488	644



Salsa Duo


– modern with a classic look

An electric towel warmer constructed as a ladder with round, gently curved tubes. Pax Salsa Duo comes with a polished finish for a classic look, while the painted matte black surface provides a modern and exclusive feel. The name Duo reflects the option to choose the electrical connection on either the right or left side, simplifying installation – especially for larger projects. Salsa Duo is equipped with a manual 3/6-hour timer (one-time or daily repeating) and power control. With just a few simple button presses, you set your preferences – then the towel warmer takes care of the rest.

Electric towel warmer
Heat type Electric heating cable.
Power 55 W
Width 540 mm
Height 700 mm
Finish Polished or lacquered
Material Stainless steel
Mains connection Hidden, fixed connection.
Bottom right or left.

Accessories
8340-3 Cable and plug for connection to mains socket.





Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.



Item. no.	Model	Material	Output	Width, mm	Height, mm
3711-1	Salsa Duo 540x700	Stainless steel	55W	540	700
3712-1	Salsa Duo 540x700, black	Stainless steel, lacquered	55W	540	700

230 V AC 50 Hz, Class I (earthing required). IPX4  

Samba Duo


– soft, high-quality design

An electric towel warmer with a timeless design. The gently bowed tubes create a soft and comfortable feeling. Pax Samba Duo comes with a polished finish for a classic look, while the painted matte black surface provides a modern and exclusive feel. The name Duo reflects the option to choose the electrical connection on either the right or left side, simplifying installation – especially for larger projects. Samba Duo is equipped with a manual 3/6-hour timer (one-time or daily repeating) and power control. With just a few simple button presses, you set your preferences – then the towel warmer takes care of the rest.

Electric towel warmer
Heat type Electric heating cable.
Power 40 W
Width 450 mm
Height 700 mm
Finish Polished or lacquered
Material Stainless steel
Mains connection Hidden, fixed connection.
Bottom right or left.

Accessories
8340-3 Cable and plug for connection to mains socket.





Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.



Item. no.	Model	Material	Output	Width, mm	Height, mm
3711-2	Samba Duo 450x700	Stainless steel	40W	450	700
3712-2	Samba Duo 450x700, black	Stainless steel, lacquered	40W	450	700

230 V AC 50 Hz, Class I (earthing required). IPX4  

Tango Duo

– design with straight lines

Pax Tango Duo is a timeless classic with a characteristic appearance and its high-quality square polished stainless-steel tubes. The generous distance between the square tubes makes it easy to hang towels and let them dry freely. Pax Tango Duo comes with a polished finish for a classic look, while the painted matte black surface provides a modern and exclusive feel. The name Duo reflects the option to choose the electrical connection on either the right or left side, simplifying installation – especially for larger projects. Tango Duo is equipped with a manual 3/6-hour timer (one-time or daily repeating) and power control. With just a few simple button presses, you set your preferences – then the towel warmer takes care of the rest.



Electric towel warmer

Heat type Electric heating cable.

Power 50 W

Width 540 mm

Height 700 mm

Finish Polished or lacquered


Material Stainless steel

Mains connection Hidden, fixed connection. Bottom right or left.

Accessories

8340-3 Cable and plug for connection to mains socket.





Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.

Item. no.	Model	Material	Output	Width, mm	Height, mm
3711-3	Tango Duo 540x700	Stainless steel	50W	540	700
3712-3	Tango Duo 540x700, black	Stainless steel, lacquered	50W	540	700

230 V AC 50 Hz, Class I (earthing required). **IPX4**  

Foxtrot Duo

– classic
8-step model

Pax Foxtrot Duo is a classic electric towel warmer constructed as a ladder with round, gently curved tubes in stainless steel. Pax Foxtrot Duo comes with a polished finish for a classic look, while the painted matte black surface provides a modern and exclusive feel. The name Duo reflects the option to choose the electrical connection on either the right or left side, simplifying installation – especially for larger projects. Foxtrot Duo is equipped with a manual 3/6-hour timer (one-time or daily repeating) and power control. With just a few simple button presses, you set your preferences – then the towel warmer takes care of the rest.



Electric towel warmer

Heat type Electric heating cable.

Power 80 W

Width 530 mm

Height 815 mm

Finish Polished or lacquered


Material Stainless steel

Mains connection Hidden, fixed connection. Bottom right or left.

Accessories

8340-3 Cable and plug for connection to mains socket.





Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.

Item. no.	Model	Material	Output	Width, mm	Height, mm
3711-4	Foxtrot Duo 530x815	Stainless steel	80W	530	815
3712-4	Foxtrot Duo 530x815, black	Stainless steel, lacquered	80W	530	815

230 V AC 50 Hz, Class I (earthing required). **IPX4**  



Combined warmers

– water-filled towel warmers heated by electric element and/or existing closed heating system

Pax combi warmers are filled with water during installation and are either heated with a Pax electric cartridge with the unique Momento II timer and/or by connecting it to your existing closed heating system via a radiator valve.

If you install both an electric element and a radiator valve, you can use your towel warmer even when the heating system is turned off. That way you can avoid condensation and dampness even during warm summers.

Both the electric element with Momento II timer and radiator valve are sold separately.



Viola

– a towel warmer that makes a powerful statement

Viola is perfect for bathrooms that need a towel warmer that looks good. Square side tubes and round horizontal tubes in polished stainless steel.




Combined warmer
 Heat type Water-filled.
 Heated by Pax electric element and/or existing closed heating system.
 Width 550 mm
 Height 1200 mm
 Finish Gloss
 Material Stainless steel
 Connection point Bottom, right/left

Supplied
 Unfilled with hanging fixtures, screws, plugs, blind plugs and airing valve.

Also required (see page 36)
 • Pax electric element with Momento II timer 175W power and/or
 • Radiator valve

Accessories
 8340-5 Cable and plug for connection to mains socket.



Item. no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
24-4307	Viola 550x1200	Stainless steel	10 bar	175W	550	1400

* Refers to power with electric element, see page 36

Mandolin

– looks great in the kitchen, hallway, bathroom and bedroom

Mandolin is an exclusive towel warmer with rectangular poles. Each pole is fitted with a hook for you to hang your hand towel, dressing gown or bath towel on.

Mandolin also functions perfectly as an attractive and unusual radiator, and suits any room you put it in. If you choose to have it in the kitchen, you will not only give the room a luxurious feel, but you will also have a perfect place to hang your kitchen towels too.




Combined warmer
 Heat type Water-filled.
 Heated by Pax electric element and/or existing closed heating system.
 Width 250 mm
 Height 1400 mm
 Finish Gloss
 Material Stainless steel
 Connection point Bottom, right/left.

Supplied
 Unfilled with hanging fixtures, screws, plugs, blind plugs and airing valve.

Also required (see page 36)
 • Pax electric element with Momento II timer 175W power and/or
 • Radiator valve

Accessories
 8340-5 Cable and plug for connection to mains socket.



Item. no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
24-4206	Mandolin 3, 250x1400	Stainless steel	10 bar	175W	250	1400

* Refers to power with electric element, see page 36

Lyra

– practical and stylish

With stainless steel square tubes. Lyra has an unmistakable and modern look with generous spacing.





Combined warmer
Heat type Water-filled.
 Heated by Pax electric element
 and/or existing closed heating
 system.

Width 500
Height 800 or 1200 mm
Finish Gloss
Material Stainless steel
Connection
point Bottom, right/left.

Supplied
Unfilled with hanging fixtures, screws,
plugs, blind plugs and airing valve.

Also required (see page 36)
• Pax electric element with Memento II timer
75–125 W power, depending on size
and/or
• Radiator valve

Accessories
8340-5 Cable and plug for connection to
 mains socket.



Stated dimensions
may vary. Never
drill holes in the wall
without first check-
ing the dimensions
of your actual towel
warmer.

Item no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
24-4008	Lyra 500×800	Stainless steel	10 bar	75 W	500	800
24-4009	Lyra 500×1200	Stainless steel	10 bar	125 W	500	1200

* Refers to power with electric element, see page 36

Tamburin

– plenty of space for all
your family’s towels

Tamburin has round tubes for a soft look. The well-balanced spacing between the straight tubes makes space for plenty of towels.





Combined warmer
Heat type Water-filled.
 Heated by Pax electric element
 and/or existing closed heating
 system.

Width 500 mm
Height 800 or 1200 mm
Finish Gloss
Material Stainless steel
Connection
point Bottom, right/left.

Supplied
Unfilled with hanging fixtures, screws,
plugs, blind plugs and airing valve.

Also required (see page 36)
• Pax electric element with Memento II timer
75–125 W power, depending on size.
and/or
• Radiator valve

Accessories
8340-5 Cable and plug for connection to
 mains socket.



Stated dimensions
may vary. Never
drill holes in the wall
without first check-
ing the dimensions
of your actual towel
warmer.

Item no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
24-4018	Tamburin 500×800	Stainless steel	10 bar	75 W	500	800
24-4019	Tamburin 500×1200	Stainless steel	10 bar	125 W	500	1200

* Refers to power with electric element, see page 36

Cello

- elegant with
gently curved tubes

Cello has round, curved tubes in smart sections for extra-high drying power.

Combined warmer
Heat type
Water-filled.
Heated by Pax electric element
and/or existing closed heating
system.


Width
530 mm
Height
700 or 1000 mm
Finish
Gloss
Material
Stainless steel
Connection
point
Bottom, right/left.

Supplied
Unfilled with hanging fixtures, screws,
plugs, blind plugs and airing valve.

Also required (see page 36)

- Pax electric element with Memento II timer
75–125 W power, depending on size
and/or
- Radiator valve

Accessories
8340-5
Cable and plug for connection to
mains socket.



Stated dimensions
may vary. Never
drill holes in the wall
without first checking
the dimensions
of your actual towel
warmer.

Item no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
24-4018	Tamburin 500×800	Stainless steel	10 bar	75 W	500	800
24-4019	Tamburin 500×1200	Stainless steel	10 bar	125 W	500	1200

* Refers to power with electric element, see page 36

Positiv

- round tubes
in smart sections

Positiv has round and straight tubes in smart sections for extra-high drying power.

Combined warmer
Heat type
Water-filled.
Heated by Pax electric element
and/or existing closed heating
system.


Width
530 mm
Height
700 or 1000 mm
Finish
Gloss
Material
Stainless steel
Connection
point
Bottom, right/left.

Supplied
Unfilled with hanging fixtures, screws,
plugs, blind plugs and airing valve.

Also required (see page 36)

- Pax electric element with Memento II timer
75–125 W power, depending on size
and/or
- Radiator valve

Accessories
8340-5
Cable and plug for connection to
mains socket.



Stated dimensions
may vary. Never
drill holes in the wall
without first checking
the dimensions
of your actual towel
warmer.

Item no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
24-4600	Positiv 530×700	Stainless steel	10 bar	75 W	530	700
24-4601	Positiv 530×1000	Stainless steel	10 bar	125 W	530	1000

* Refers to power with electric element, see page 36

Nice

– lightweight ladder with round tubes


Nice is a classic model. It is lightweight thanks to its simple and stylish design in a practical format. Nice fits in just as well in summer cottages as in urban bathrooms.



Combined warmer
Heat type Water-filled.
Heated by Pax electric element and/or existing closed heating system.
Width 500 mm
Height 1000 mm
Finish Chrome
Material Steel
Connection point Bottom, right/left.

Supplied
Unfilled with hanging fixtures, screws, plugs, blind plugs and airing valve.
Also required (see page 36)
• Pax electric element with Momento II timer 150 W power and/or
• Radiator valve

Accessories
8340-5 Cable and plug for connection to mains socket.



Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.

Item no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
0500/1000/RRC	Nice 500×1000	Steel, chrome	10 bar	150 W	500	1000

* Refers to power with electric element, see page 36

Climb


– classic ladder model

Climb is a combi warmer in a classic ladder design, with plenty of gently rounded cross-tubes. Available in chrome or white as standard.

Combined warmer
Heat type Water-filled.
Heated by Pax electric element and/or existing closed heating system.
Width 500 mm
Height 1000 mm
Finish Chrome or lacquer white tubes
Material Steel
Connection point Bottom, right/left.

Supplied
Unfilled with hanging fixtures, screws, plugs, blind plugs and airing valve.
Also required (see page 36)
• Pax electric element with Momento II timer. 175 W power and/or
• Radiator valve

Accessories
8340-5 Cable and plug for connection to mains socket.



Stated dimensions may vary. Never drill holes in the wall without first checking the dimensions of your actual towel warmer.

Item no.	Model	Material	Working pressure	Output *	Width, mm	Height, mm
24-5206	Climb 500×1000, chrome	Steel, chrome	10 bar	175 W	500	1000
24-5202	Climb 500×1000, white	Steel, chrome	10 bar	175 W	500	1000

* Refers to power with electric element, see page 36

Electric elements for combi warmers

with Momento II timer



Item. no.	Model	Cable/plug	Output
28-1010	Electric element with Momento II, 75 W	Accessories	75 W
28-1011	Electric element with Momento II, 100 W	Accessories	100 W
28-1012	Electric element with Momento II, 125 W	Accessories	125 W
28-1013	Electric element with Momento II, 150 W	Accessories	150 W
28-1014	Electric element with Momento II, 175 W	Accessories	175 W


230 V AC 50 Hz, Class II (double-insulated, earthing not required) **IP44**  
Note IP ratings only apply to Pax electric elements and Pax combi warmers for the appropriate power rating for the model and size according to Pax.

Accessories

Item. no.	Model
8340-3	Cable rack with cable (1.5 m) and earthed plug. For all Duo towel warmers.
8340-5	Unearthed cable rack (1.5 m). For all towel warmers with Momento II



Radiator valves for combi warmers



Item. no.	Model	Material	Single/double pipe system	Connection point
29-1051	RFA 75-400 radiator valve with knob	Brass	Both single and double	15 mm copper
8332-5	Radiator valve, round, straight	Brass	Both single and double	15 mm copper
8332-7	Radiator valve, round, angled	Brass	Both single and double	15 mm copper

FAQs: the dry facts

Some common questions to our customer support

1. Can I install my towel warmer myself?

Pax towel warmers are supplied for fixed electrical connection or water connection and must always be installed by a qualified installer.

We recommend that you always consult a qualified installer first to find out what type of installation is appropriate.

2. What type of towel warmer is right for me?

If you only want to use your towel warmer to dry and warm towels and clothes, an electric towel warmer is ideal. You can choose from the entire Pax range.

If you want to use your towel warmer instead of a radiator to heat a room, we recommend a combination electric and central heating towel warmer. Find out first how much heat the towel warmer needs to replace to calculate your heat needs, and then choose a towel warmer that is the right size for you.

3. Can I install my towel warmer upside down?

No. Our products are made to be installed in a specific way. If you install the product in the wrong direction, it is highly likely that it will not function as intended. Always ask a qualified installer if you are unsure.

4. What are CC dimensions?

CC dimensions refers to the centre-to-centre dimensions of the distance between the connection pipes and the screw holes.

5. What does combined central heating and electric mean?

If you have a central heating towel warmer, you can connect it to your central heating system with a radiator valve. However, it is always a good idea to add an electric element so that you can have the towel warmer on even in the summer when the heating in your house is usually turned off.

In the summer, towel warmers are vital as the high humidity level makes clothes and towels dry slowly. This increases the risk of mildew and bacterial growth.

6. How much water do I need to fill my towel warmer with when installing?

Fill the water until the upper horizontal rail is half-filled with water. Note that if the water level is too low this may affect the electric element, and if the water level is too high, this will not leave sufficient space for the water to expand * during heating, so make sure you fill your warmer correctly.

Always ask a qualified installer if you are unsure.

* Water expands when heated. Leave the air valve open the first time you heat up your towel warmer to the its maximum temperature (approx. 60–65°C). Close the valve when the warmer has reached its maximum temperature.

7. What is an open-vented system?

An open-vented system circulates heated tap water.

This type of system is found almost exclusively in multiple-occupancy homes. Pax observes water industry regulations and does not advocate the installation of towel warmers in open-vented systems, among other reasons due to the risk of growth of legionella bacteria.

8. What happens to my product in the event of a power cut?

If you have a timer that was not set using the app, it will be cleared after a power cut. If the timer has been set using the app, it will be kept, but the Momento II will lose the correct time, which is indicated by a slow-flashing red light. To reset the clock, simply connect to the app and retrieve the correct time.

9. Why should I choose Momento II?

If you use the Pax Connect app, you can set your own weekly schedules and adjust the power level in three steps via the app: 40%, 60%, and 100%. Through the app, you can also connect your Momento II to the Pax Norte bathroom fan so the towel warmer is activated when humidity

levels rise. This function does not affect other features or timers.

10. What are IP ratings?

When you install an electrical appliance in a bathroom or other room with wet equipment, you must take into account IP (Ingress Protection) ratings.

Every electrical appliance is marked with an IP rating which indicates its level of protection against water and dust. Wet areas are divided into three IP zones which each have a different minimum IP rating requirement.

A qualified installer is the only person to determine where in the wet area installation is safe.

11. What should I consider when choosing radiator valves?

A Work out whether you have the option to install your combi warmer with concealed pipes in the wall, or whether you will need external radiator pipes. The next important step is to decide whether you want to run your combi warmer solely on closed heating system or combined with an electric element. We recommend combined for guaranteed comfort all year round, even when your central heating is turned off for the summer.

12. What does CE and S marking mean?

CE marking is a legal requirement within the EU. By CE marking its product, the manufacturer certifies that the product complies with the safety requirements applicable within the EU.

The S mark is a voluntary certification. With an S mark, the manufacturer is informing the customer that the product has been tested and approved by Intertek.

Intertek is an independent testing laboratory that tests products to determine whether they meet safety requirements, including for electrical safety, fire protection and mechanical injury risks.



Dry towels

- this is our mission



Pax is a Swedish brand based in Hälleforsnäs in Södermanland. This is where we design, produce and install our products.

Pax's basic idea when it comes to product development has always been to create products with both design and functionality in mind. A good example of this is Momento II, our unique timer which allows you to save up to 75 per cent on energy consumption without compromising on comfort.

From the outset, Pax has strived to produce and develop products with consideration for the environment. Our towel warmers are made of stainless steel. The overall environmental impact is lower for stainless steel compared to chromed steel. In addition, a major advantage is that stainless products are not affected by corrosion (rust).

All co-workers at Pax has a passion for our heritage, and we are constantly striving to challenge ourselves to create new, inspired products.

Pax – innovating every day since 1945

After the Second World War, the world was reset. It went from suffering and ruin to peace and hope for the future. Sweden put all its energy into growth and development, a situation that was perfect for inventor and entrepreneur Folke Andersson from Eskilstuna. The same year the war ended, he founded Pax and started producing extractor fans for kitchens. The meaning of the company's name is far from coincidental: Pax is the Latin word for "peace".

Wealth continued to grow in Sweden, and people developed new habits. People started showering, for example, and taking long, frequent baths. Natural bathroom ventilation was no longer enough. Folke Andersson, who had by then moved offices and production to the town of Hälleforsnäs in Sörmland, saw a solution, and Pax launched Sweden's first extractor fan made and approved for wetrooms.

Every year, Pax sells almost 100,000 wetroom fans. Since Folke Andersson founded the company, around three million Pax fans have been sold, contributing to better air in the home.

Today, Pax is so much more than a fan brand. Through development and acquisitions, Pax's range has been broadened with towel warmers and radiators. This means that Pax draws power from three roots.

Pax is part of Volution Sweden's strong brand portfolio.

Every day, we endeavour to continue Folke Andersson's innovation. Our range now includes a full breadth of heat and ventilation products which all contribute to a sustainable, modern and healthy environment at home.



For a better
environment
at home.